



TEST REPORT NO 776190/24/GDY/1/Z1  
Replaces test report no. 776190/24/GDY/1 of 19.12.2024

Client <b>EONLIFE BIOTECH SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ</b> ul. Dąglezjowa 8 62-005 Bolechówko		Sample (according to declaration of Client) Sample description: Eon Longevity complex Batch: 1 Production date: 19.11.2024 Expiry date: 18.11.2026	
Sample reception date:	11.12.2024	Sample status: no objections  Sample received from the Client	
Start of analysis	12.12.2024		
End of analysis	18.12.2024		
Test report date	27.12.2024		

Test Method	Unit	Result	Criteria	Statement of conformity
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected	-	-
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected	-	-
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected	-	-
* Content of elements <sup>1) 2)</sup> PN-EN 15763:2010				
Lead (Pb)	mg/kg	0,014 ± 0,004	≤ 3,0	Pass
Arsenic (As)	mg/kg	< 0,010 (0,010 ± 0,002)	-	-
Cadmium (Cd)	mg/kg	0,0013 ± 0,0003	≤ 1,0	Pass
Mercury (Hg)	mg/kg	0,0016 ± 0,0003	≤ 0,10	Pass

- 1) The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.
- 2) Commission Regulation (EU) 2023/915 of 25 April 2023, as amended, on maximum levels for certain contaminants in food and repealing Regulation (EC) No 1881/2006.

Content of elements: Identification of the change: addition of the statement of conformity

Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g: Identification of the change: addition of the statement of conformity

Presence of Escherichia coli in 1 g: Identification of the change: addition of the statement of conformity

Presence of Salmonella spp. in 25 g: Identification of the change: addition of the statement of conformity

Authorized by:

ID: 295, Analysis Expert, Spectrometry Laboratory

ID: 368, Analysis Expert, Microbiology Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:

Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on [www.hamilton.com.pl](http://www.hamilton.com.pl).

\* Test method accredited

# Test performed by external provider



# HAMILTON



AB 079

**TEST REPORT NO 776190/24/GDY/1/Z1**  
**Replaces test report no. 776190/24/GDY/1 of 19.12.2024**

---

THE END OF THE REPORT