



**ANALYTICAL LABORATORIES**  
microbiology - physicochemistry - sensory

GBA POLSKA Sp. z o.o.  
Member of GBA GROUP  
ul. Mochtyńska 65, 03-289 Warsaw, Poland



AB 1095

**TEST REPORT No: B/0/09/2025/68/F/C/3/P/1/EN**

**Customer:** EONLIFE BIOTECH SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ 61-044 Poznań, ul. ul. Inowrocławska 19a  
**Order No:** B/0/09/2025/68

AE - accredited methodology (accreditation no. AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).

<b>Material/product tested:</b>	<b>Dietary supplements</b>		
Sample collection address:	61-044 Poznań, ul.ul. Inowrocławska 19a		
Product name:	<i>Eon LipoC Liposomal Vitamin C</i>		Date*: 03 September 2025
Producer:	Eonlife Biotech		
Date of production:	25/08/2025		
Lot number:	20250825		
Sampling according to:	-	Received by:	GBA POLSKA employee no: 2729
Samples transported by:	Shipping		
Sample no:	6756/09/25	Sample condition:	correct
		Analysis start date:	03-09-2025
		Analysis end date:	12-09-2025

Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	U
Ł	Arsenic	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,010	0.002
Ł	Lead	mg/kg	AE	PN-EN 15763:2010	no requirements	0,017	0.003
Ł	Mercury	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,0010	0.0002
Ł	Cadmium	mg/kg	AE	PN-EN 15763:2010	no requirements	0,0030	0.0005

Date\* - depending on the method of obtaining the sample by GBA POLSKA, it is the date of: collection (when the sample is collected only by a GBA POLSKA employee) or receipt (when the sample is collected from the Customer by a GBA POLSKA employee, is delivered by a courier company or delivered personally by the Customer).  
U - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is provided when it is important for the reliability of test results or compliance with requirements/specifications and at the request of the Customer. The "test results" lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. These values provide information about the research results. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method.  
The results refer only to the tested samples (sampled or received - in accordance with the information presented in the Test Report).  
The information in italics included in the Test Report was provided by the Customer. The laboratory is not responsible for this information. The laboratory is not responsible for the method of sampling and the representativeness of the samples provided by the Customer for testing.  
The Test Report without the written approval of the Laboratory shall not be reproduced except in full.  
The Laboratory does not store the samples after testing, unless otherwise agreed with the Customer.  
Place of performance of the tests ("Lab."): Ł - Łajski, ul. Kościelna 2a, 05-119 Legionowo, L - ul. Doświadczalna 50a, 20-280 Lublin, M - ul. Fabryczna 7, 41-404 Mysłowice, P – ul. Kazimierza Tymienieckiego 34, 60-681 Poznań, W – ul. Żąbkowska 18, 03-735 Warszawa, PS - in situ measurement.

NOTE: Original Test Report is issued in electronic form with the \*.pdf extension, signed with a qualified electronic signature. Therefore, all prints, unless certified as true copies, are copies.

**Remarks:**

This document completely replaces Test Report No. B/0/09/2025/68/F/C/3. The reason is the correction of the Client's data.

<b>Created on:</b> 19-09-2025	<b>Authorized result:</b> GBA POLSKA employee no: 2486	<b>Authorized Test report:</b> Documentation specialist for the food testing industry GBA POLSKA employee no: 2879	<b>Signed with a qualified electronic signature</b> 
----------------------------------	---	--	---

Report prepared in a single copy

Original of PDF: Customer, copy of PDF to: Laboratory archive

**The end of the Test Report**